

Package ‘baizer’

July 22, 2025

Title Useful Functions for Data Processing

Version 0.8.0

Description

In ancient Chinese mythology, Bai Ze is a divine creature that knows the needs of everything. 'baizer' provides data processing functions frequently used by the author. Hope this package also knows what you want!

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.2.3

Imports curl, diffobj, dplyr (>= 1.1.0), grDevices, magrittr, methods, openxlsx, purrr, readr, readxl, rematch2, rlang (>= 0.4.11), rmarkdown, seriation, stats, stringr, tibble (>= 3.1), tidyr, utils, vctrs

Suggests covr, roxygen2, testthat (>= 3.0.0), withr

Config/testthat/edition 3

Depends R (>= 3.5.0)

LazyData true

URL <https://william-swl.github.io/baizer/>,
<https://github.com/william-swl/baizer>

BugReports <https://github.com/william-swl/baizer/issues>

NeedsCompilation no

Author William Song [aut, cre]

Maintainer William Song <william_swl@163.com>

Repository CRAN

Date/Publication 2023-10-19 09:00:02 UTC

Contents

adjacent_div	4
alias_arg	5
as_md_table	5
as_tibble_md	6
atomic_expr	7
broadcast_vector	7
c2r	8
check_arg	9
cmdargs	9
collapse_vector	10
combn_vector	11
correct_ratio	11
cross_count	12
detect_dup	13
diff_index	13
diff_tb	14
dx_tb	14
empty_dir	15
empty_file	16
exist_matrix	17
expr_pileup	17
extract_kv	18
fancy_count	19
fetch_char	20
filterC	20
fix_to_regex	21
float_to_percent	22
fps_vector	22
full_expand	23
generate_ticks	24
gen_char	24
gen_combn	25
gen_outlier	26
gen_str	27
gen_tb	28
geom_mean	28
group_vector	29
hist_bins	30
inner_expand	30
int_digits	31
is.zero	32
left_expand	32
list2df	33
max_depth	34
melt_vector	34
mini_diamond	35

mm_norm	36
move_row	36
nearest_tick	37
near_ticks	38
not.na	38
not.null	39
number_fun_wrapper	39
ordered_slice	40
percent_to_float	41
pileup_logical	41
pkginfo	42
pkglib	42
pkgver	43
pos_int_split	43
r2c	44
read_excel	44
read_excel_list	45
read_fmmd	45
ref_level	46
reg_join	46
reg_match	47
remove_monocol	48
remove_nacol	48
remove_narrow	49
remove_outliers	50
replace_item	50
rewrite_na	51
rng2seq	52
round_string	52
roxygen_fmt	53
same_index	53
seriate_df	54
sftp_connect	55
sftp_download	55
sftp_ls	56
signif_ceiling	57
signif_floor	57
signif_round_string	58
signif_string	58
slice_char	59
sortf	60
split_column	61
split_path	61
split_vector	62
stat_fc	62
stat_phi	63
stat_test	64
str_replace_loc	65

swap_vecname	66
tbflt	66
tdf	67
top_item	68
uniq	68
uniq_in_cols	69
write_excel	69
%eq%	70
%neq%	70
%nin%	71
Index	72

adjacent_div	<i>expand a number vector according to the adjacent two numbers</i>
--------------	---

Description

expand a number vector according to the adjacent two numbers

Usage

```
adjacent_div(v, n_div = 10, .unique = FALSE)
```

Arguments

v	number vector
n_div	how many divisions expanded by two numbers
.unique	only keep unique numbers

Value

new number vector

Examples

```
adjacent_div(10^c(1:3), n_div = 10)
```

alias_arg	<i>use aliases for function arguments</i>
-----------	---

Description

use aliases for function arguments

Usage

```
alias_arg(..., default = NULL)
```

Arguments

...	aliases of an argument
default	a alias with a default value

Value

the finally value of this argument across all aliases

Examples

```
# set y, z as aliases of x when create a function
func <- function(x = 1, y = NULL, z = NULL) {
  x <- alias_arg(x, y, z, default = x)
  return(x)
}
```

as_md_table	<i>trans a tibble into markdown format table</i>
-------------	--

Description

trans a tibble into markdown format table

Usage

```
as_md_table(x, show = TRUE)
```

Arguments

x	tibble
show	show result instead of return the markdown string, TRUE as default

Value

NULL or markdown string

Examples

```
mini_diamond %>%  
  head(5) %>%  
  as_md_table()
```

as_tibble_md

trans a table in markdown format into tibble

Description

trans a table in markdown format into tibble

Usage

```
as_tibble_md(x)
```

Arguments

x character string

Value

tibble

Examples

```
x <- "  
col1 | col2 | col3 |  
| ---- | ---- | ---- |  
| v1   | v2   | v3   |  
| r1   | r2   | r3   |  
"
```

```
as_tibble_md(x)
```

atomic_expr *whether the expression is an atomic one*

Description

whether the expression is an atomic one

Usage

```
atomic_expr(ex)
```

Arguments

ex expression

Value

logical value

Examples

```
atomic_expr(rlang::expr(x))  
atomic_expr(rlang::expr(!x))  
atomic_expr(rlang::expr(x + y))  
atomic_expr(rlang::expr(x > 1))  
atomic_expr(rlang::expr(!x + y))  
atomic_expr(rlang::expr(x > 1 | y < 2))
```

broadcast_vector *broadcast the vector into length n*

Description

broadcast the vector into length n

Usage

```
broadcast_vector(x, n)
```

Arguments

x vector
n target length

Value

vector

Examples

```
broadcast_vector(1:3, 5)
```

c2r *wrapper of tibble::column_to_rownames*

Description

wrapper of tibble::column_to_rownames

Usage

```
c2r(df, col = "")
```

Arguments

df tibble
col a col name

Value

data.frame

Examples

```
mini_diamond %>% c2r("id")
```

check_arg	<i>check arguments by custom function</i>
-----------	---

Description

check arguments by custom function

Usage

```
check_arg(..., n = 2, fun = not.null)
```

Arguments

...	arguments
n	how many arguments should meet the custom conditions
fun	custom conditions defined by a function

Value

logical value

Examples

```
x <- 1
y <- 3
z <- NULL

func <- function(x = NULL, y = NULL, z = NULL) {
  if (check_arg(x, y, z, n = 2)) {
    print("As expected, two arguments is not NULL")
  }

  if (check_arg(x, y, z, n = 1, method = ~ .x < 2)) {
    print("As expected, one argument less than 2")
  }
}
```

cmdargs	<i>get the command line arguments</i>
---------	---------------------------------------

Description

get the command line arguments

Usage

```
cmdargs(x = NULL)
```

Arguments

x one of 'wd, R_env, script_path, script_dir, env_configs'

Value

list of all arguments, or single value of select argument

Examples

```
cmdargs()
```

collapse_vector	<i>dump a named vector into character</i>
-----------------	---

Description

dump a named vector into character

Usage

```
collapse_vector(named_vector, front_name = TRUE, collapse = ";")
```

Arguments

named_vector	a named vector
front_name	if TRUE, put names to former
collapse	collapse separator

Value

character

Examples

```
collapse_vector(c(e = 1:4), front_name = TRUE, collapse = ";")
```

combn_vector	<i>combine multiple vectors into one</i>
--------------	--

Description

combine multiple vectors into one

Usage

```
combn_vector(..., method = "first", invalid = NA)
```

Arguments

...	vectors
method	how to combine, should be one of first last, or one of sum mean median for numeric vector, or some characters (e.g. , . ;) for character vector
invalid	invalid value to ignore, NA as default

Value

combined vector

Examples

```
x1 <- c(1, 2, NA, NA)
x2 <- c(3, NA, 2, NA)
x3 <- c(4, NA, NA, 3)

combn_vector(x1, x2, x3, method = "sum")
```

correct_ratio	<i>correct the numbers to a target ratio</i>
---------------	--

Description

correct the numbers to a target ratio

Usage

```
correct_ratio(raw, target, digits = 0)
```

Arguments

raw	the raw numbers
target	the target ratio
digits	the result digits

Value

corrected number vector

Examples

```
correct_ratio(c(10, 10), c(3, 5))

# support ratio as a float
correct_ratio(c(100, 100), c(0.2, 0.8))

# more numbers
correct_ratio(10:13, c(2, 3, 4, 6))

# with digits after decimal point
correct_ratio(c(10, 10), c(1, 4), digits = 1)
```

cross_count	<i>count two columns as a cross-tabulation table</i>
-------------	--

Description

count two columns as a cross-tabulation table

Usage

```
cross_count(df, row, col, method = "n", digits = 2)
```

Arguments

df	tibble
row	the column as rownames in the output
col	the column as colnames in the output
method	one of n count, row row_ratio, col col_ratio
digits	the digits of ratios

Value

data.frame

Examples

```
cross_count(mini_diamond, cut, clarity)

# show the ratio in the row
cross_count(mini_diamond, cut, clarity, method = "rowr")

# show the ratio in the col
cross_count(mini_diamond, cut, clarity, method = "colr")
```

detect_dup	<i>detect possible duplication in a vector, ignore case, blank and special character</i>
------------	--

Description

detect possible duplication in a vector, ignore case, blank and special character

Usage

```
detect_dup(vector, index = FALSE)
```

Arguments

vector	vector possibly with duplication
index	return duplication index

Value

duplication sub-vector

Examples

```
detect_dup(c("a", "C_", "c -", "#A"))
```

diff_index	<i>the index of different character</i>
------------	---

Description

the index of different character

Usage

```
diff_index(s1, s2, nth = NULL, ignore_case = FALSE)
```

Arguments

s1	string1
s2	string2
nth	just return nth index
ignore_case	ignore upper or lower cases

Value

list of different character indices

Examples

```
diff_index("AAAA", "ABBA")
```

diff_tb	<i>differences between two tibbles</i>
---------	--

Description

differences between two tibbles

Usage

```
diff_tb(old, new)
```

Arguments

old	old tibble
new	new tibble

Value

differences tibble, 'a, d, c' in diff_type stand for 'add, delete, change' compared to the old tibble

Examples

```
tb1 <- gen_tb(fill = "int", seed = 1)
tb2 <- gen_tb(fill = "int", seed = 3)
diff_tb(tb1, tb2)
```

dx_tb	<i>diagnosis a tibble for character NA, NULL, all T/F column, blank in cell</i>
-------	---

Description

diagnosis a tibble for character NA, NULL, all T/F column, blank in cell

Usage

```
dx_tb(x)
```

Arguments

x	tibble
---	--------

Value

list

Examples

```
x <- tibble::tibble(
  c1 = c("NA", NA, "a", "b"),
  c2 = c("c", "d", "e", "NULL"),
  c3 = c("T", "F", "F", "T"),
  c4 = c("T", "F", "F", NA),
  c5 = c("", " ", "\t", "\n")
)

dx_tb(x)
```

empty_dir	<i>detect whether directory is empty recursively</i>
-----------	--

Description

detect whether directory is empty recursively

Usage

```
empty_dir(dir)
```

Arguments

dir the directory

Value

logical value

Examples

```
# create an empty directory
dir.create("some/deep/path/in/a/folder", recursive = TRUE)
empty_dir("some/deep/path/in/a/folder")

# create an empty file
file.create("some/deep/path/in/a/folder/there_is_a_file.txt")
empty_dir("some/deep/path/in/a/folder")
empty_file("some/deep/path/in/a/folder/there_is_a_file.txt", strict = TRUE)

# create a file with only character of length 0
write("", "some/deep/path/in/a/folder/there_is_a_file.txt")
empty_file("some/deep/path/in/a/folder/there_is_a_file.txt", strict = TRUE)
```

```
empty_file("some/deep/path/in/a/folder/there_is_a_file.txt")

# clean
unlink("some", recursive = TRUE)
```

empty_file	<i>detect whether file is empty recursively</i>
------------	---

Description

detect whether file is empty recursively

Usage

```
empty_file(path, strict = FALSE)
```

Arguments

path	the path of file
strict	FALSE as default. If TRUE, a file with only one character of length 0 will be considered as not empty

Value

logical value

Examples

```
# create an empty directory
dir.create("some/deep/path/in/a/folder", recursive = TRUE)
empty_dir("some/deep/path/in/a/folder")

# create an empty file
file.create("some/deep/path/in/a/folder/there_is_a_file.txt")
empty_dir("some/deep/path/in/a/folder")
empty_file("some/deep/path/in/a/folder/there_is_a_file.txt", strict = TRUE)

# create a file with only character of length 0
write("", "some/deep/path/in/a/folder/there_is_a_file.txt")
empty_file("some/deep/path/in/a/folder/there_is_a_file.txt", strict = TRUE)
empty_file("some/deep/path/in/a/folder/there_is_a_file.txt")

# clean
unlink("some", recursive = TRUE)
```

exist_matrix	<i>generate a matrix to show whether the item in each element of a list</i>
--------------	---

Description

generate a matrix to show whether the item in each element of a list

Usage

```
exist_matrix(x, n_lim = 0, n_top = NULL, sort_items = NULL)
```

Arguments

x	list of character vectors
n_lim	n limit to keep items in result
n_top	only keep top n items in result
sort_items	function to sort the items, item frequency by default

Value

tibble

Examples

```
x <- 1:5 %>% purrr::map(
  ~ gen_char(to = "k", n = 5, random = TRUE, seed = .x)
)
exist_matrix(x)
```

expr_pileup	<i>pileup the subexpressions which is atomic</i>
-------------	--

Description

pileup the subexpressions which is atomic

Usage

```
expr_pileup(ex)
```

Arguments

ex	expression
----	------------

Value

the character vector of subexpressions

Examples

```
ex <- rlang::expr(a == 2 & b == 3 | !b & x + 2)
expr_pileup(ex)
```

extract_kv	<i>extract key and values for a character vector</i>
------------	--

Description

extract key and values for a character vector

Usage

```
extract_kv(v, sep = ":", key_loc = 1, value_loc = 2)
```

Arguments

v	character vector
sep	separator between key and value
key_loc	key location
value_loc	value location

Value

a named character vector

Examples

```
extract_kv(c("x: 1", "y: 2"))
```

fancy_count	<i>fancy count to show an extended column</i>
-------------	---

Description

fancy count to show an extended column

Usage

```
fancy_count(df, ..., ext = NULL, ext_fmt = "count", sort = FALSE, digits = 2)
```

Arguments

df	tibble
...	other arguments from <code>dplyr::count()</code>
ext	extended column
ext_fmt	count ratio clean, output format of extended column
sort	sort by frequency or not
digits	if <code>ext_fmt=ratio</code> , the digits of ratio

Value

count tibble

Examples

```
fancy_count(mini_diamond, cut, ext = clarity)
fancy_count(mini_diamond, cut, ext = clarity, ext_fmt = "ratio")
fancy_count(mini_diamond, cut, ext = clarity, ext_fmt = "clean")
fancy_count(mini_diamond, cut, ext = clarity, sort = FALSE)
fancy_count(mini_diamond, cut, clarity, ext = id) %>% head(5)
```

fetch_char	<i>fetch character from strings</i>
------------	-------------------------------------

Description

fetch character from strings

Usage

```
fetch_char(s, index_list, na.rm = FALSE, collapse = FALSE)
```

Arguments

s	strings
index_list	index of nth character, can be output of diff_index or same_index
na.rm	remove NA values from results or not
collapse	optional string used to combine the characters from a same string

Value

list of characters

Examples

```
fetch_char(rep("ABC", 3), list(1, 2, 3))
```

filterC	<i>apply tbflt on dplyr filter</i>
---------	------------------------------------

Description

apply tbflt on dplyr filter

Usage

```
filterC(.data, tbflt = NULL, .by = NULL, usecol = TRUE)
```

Arguments

.data	tibble
tbflt	tbflt object
.by	group by, same as .by argument in dplyr::filter
usecol	if TRUE (default), use the default behavior of dplyr::filter(), which allows the usage of same variable in colnames, and filter by the data column. If FALSE, will check whether the variables on the right side of ==, >, <, >=, <= have same names as columns and raise error, for the sake of more predictable results. You can always ignore this argument if you know how to use .env or !!

Value

tibble

Examples

```
c1 <- tbflt(cut == "Fair")

c2 <- tbflt(x > 8)

mini_diamond %>%
  filterC(c1) %>%
  head(5)

mini_diamond %>% filterC(c1 & c2)

x <- 8
cond <- tbflt(y > x)

# variable `x` not used because of column `x` in `mini_diamond`
filterC(mini_diamond, cond)

# will raise error because `x` is on the right side of `>`
# filterC(mini_diamond, cond, usecol=FALSE)

# if you know how to use `.env` or `!!`, forget argument `usecol`!
cond <- tbflt(y > !!x)
filterC(mini_diamond, cond)

cond <- tbflt(y > .env$x)
filterC(mini_diamond, cond)
```

fix_to_regex

trans fixed string into regular expression string

Description

trans fixed string into regular expression string

Usage

```
fix_to_regex(p)
```

Arguments

p raw fixed pattern

Value

regex pattern

Examples

```
fix_to_regex("ABC|?(*)")
```

float_to_percent *from float number to percent number*

Description

from float number to percent number

Usage

```
float_to_percent(x, digits = 2)
```

Arguments

x	number
digits	hold n digits after the decimal point

Value

percent character of x

Examples

```
float_to_percent(0.12)
```

fps_vector *farthest point sampling (FPS) for a vector*

Description

farthest point sampling (FPS) for a vector

Usage

```
fps_vector(v, n, method = "round")
```

Arguments

v	vector
n	sample size
method	round floor ceiling, the method used when trans to integer

Value

sampled vector

Examples

```
fps_vector(1:10, 4)
```

full_expand	<i>like dplyr::full_join while ignore the same columns in right tibble</i>
-------------	--

Description

like `dplyr::full_join` while ignore the same columns in right tibble

Usage

```
full_expand(x, y, by = NULL)
```

Arguments

x	left tibble
y	right tibble
by	columns to join by

Value

tibble

Examples

```
tb1 <- head(mini_diamond, 4)
tb2 <- tibble::tibble(
  id = c("id-2", "id-4", "id-5"),
  carat = 1:3,
  price = c(1000, 2000, 3000),
  newcol = c("new2", "new4", "new5")
)

left_expand(tb1, tb2, by = "id")

full_expand(tb1, tb2, by = "id")

inner_expand(tb1, tb2, by = "id")
```

generate_ticks	<i>generate ticks for a number vector</i>
----------------	---

Description

generate ticks for a number vector

Usage

```
generate_ticks(x, expect_ticks = 10)
```

Arguments

x	number vector
expect_ticks	expected number of ticks, may be a little different from the result

Value

ticks number

Examples

```
generate_ticks(c(176, 198, 264))
```

gen_char	<i>generate characters</i>
----------	----------------------------

Description

generate characters

Usage

```
gen_char(  
  from = NULL,  
  to = NULL,  
  n = NULL,  
  random = FALSE,  
  allow_dup = TRUE,  
  add = NULL,  
  seed = NULL  
)
```


Arguments

from	left bound, lower case letter
to	right bound, lower case letter
n	number of characters to generate
random	random generation
allow_dup	allow duplication when random generation
add	add extra characters other than base::letters
seed	random seed

Value

generated characters

Examples

```
gen_char(from = "g", n = 5)
gen_char(to = "g", n = 5)
gen_char(from = "g", to = "j")
gen_char(from = "t", n = 5, random = TRUE)
gen_char(
  from = "x", n = 5, random = TRUE,
  allow_dup = FALSE, add = c("+", "-")
)
```

gen_combn

generate all combinations

Description

generate all combinations

Usage

```
gen_combn(x, n = 2)
```

Arguments

x	vector
n	numbers of element to combine

Value

all combinations

Examples

```
gen_combn(1:4, n = 2)
```

gen_outlier	<i>generate outliers from a series of number</i>
-------------	--

Description

generate outliers from a series of number

Usage

```
gen_outlier(
  x,
  n,
  digits = 0,
  side = "both",
  lim = NULL,
  assign_n = NULL,
  only_out = TRUE
)
```

Arguments

x	number vector
n	number of outliers to generate
digits	the digits of outliers
side	should be one of both, low, high
lim	a two-length vector to assign the limitations of the outliers if method is both, the outliers will be limited in [lim[1], low_outlier_threshold] and [high_outlier_threshold, lim[2]]; if method is low, the outliers will be limited in [lim[1], min(low_outlier_threshold, lim[2])]; if method is high, the outliers will be limited in [max(high_outlier_threshold, lim[1]), lim[2]]
assign_n	manually assign the number of low outliers or high outliers when method is both
only_out	only return outliers

Value

number vector of outliers

Examples

```
x <- seq(0, 100, 1)

gen_outlier(x, 10)

# generation limits
gen_outlier(x, 10, lim = c(-80, 160))

# assign the low and high outliers
gen_outlier(x, 10, lim = c(-80, 160), assign_n = c(0.1, 0.9))

# just generate low outliers
gen_outlier(x, 10, side = "low")

# return with raw vector
gen_outlier(x, 10, only_out = FALSE)
```

gen_str	<i>generate strings</i>
---------	-------------------------

Description

generate strings

Usage

```
gen_str(n = 1, len = 3, seed = NULL)
```

Arguments

n	number of strings to generate
len	string length
seed	random seed

Value

string

Examples

```
gen_str(n = 2, len = 3)
```

gen_tb	<i>generate tibbles</i>
--------	-------------------------

Description

generate tibbles

Usage

```
gen_tb(nrow = 3, ncol = 4, fill = "float", colnames = NULL, seed = NULL, ...)
```

Arguments

nrow	number of rows
ncol	number of columns
fill	fill by, one of float, int, char, str
colnames	names of columns
seed	random seed
...	parameters of rnorm, gen_char, gen_str

Value

tibble

Examples

```
gen_tb()  
  
gen_tb(fill = "str", nrow = 3, ncol = 4, len = 3)
```

geom_mean	<i>geometric mean</i>
-----------	-----------------------

Description

geometric mean

Usage

```
geom_mean(x, na.rm = TRUE)
```

Arguments

x	value
na.rm	remove NA or not

Value

geometric mean value

Examples

```
geom_mean(1, 9)
```

group_vector	<i>group character vector by a regex pattern</i>
--------------	--

Description

group character vector by a regex pattern

Usage

```
group_vector(x, pattern = "\\w")
```

Arguments

x	character vector
pattern	regex pattern, 'w' as default

Value

list

Examples

```
v <- c(
  stringr::str_c("A", c(1, 2, 9, 10, 11, 12, 99, 101, 102)),
  stringr::str_c("B", c(1, 2, 9, 10, 21, 32, 99, 101, 102))
) %>% sample()

group_vector(v)

group_vector(v, pattern = "\\w\\d")

group_vector(v, pattern = "\\w(\\d)")

# unmatched part will also be stored
group_vector(v, pattern = "\\d{2}")
```

hist_bins	<i>separate numeric x into bins</i>
-----------	-------------------------------------

Description

separate numeric x into bins

Usage

```
hist_bins(x, bins = 10, lim = c(min(x), max(x)), breaks = NULL, sort = FALSE)
```

Arguments

x	numeric vector
bins	bins number, defaults to 10
lim	the min and max limits of bins, default as c(min(x), max(x))
breaks	assign breaks directly and will ignore bins and lim
sort	sort the result tibble

Value

tibble

Examples

```
x <- dplyr::pull(mini_diamond, price, id)

hist_bins(x, bins = 20)
```

inner_expand	<i>like dplyr::inner_join while ignore the same columns in right tibble</i>
--------------	---

Description

like dplyr::inner_join while ignore the same columns in right tibble

Usage

```
inner_expand(x, y, by = NULL)
```

Arguments

x	left tibble
y	right tibble
by	columns to join by

Value

tibble

Examples

```
tb1 <- head(mini_diamond, 4)
tb2 <- tibble::tibble(
  id = c("id-2", "id-4", "id-5"),
  carat = 1:3,
  price = c(1000, 2000, 3000),
  newcol = c("new2", "new4", "new5")
)

left_expand(tb1, tb2, by = "id")

full_expand(tb1, tb2, by = "id")

inner_expand(tb1, tb2, by = "id")
```

int_digits

trans numbers to a fixed integer digit length

Description

trans numbers to a fixed integer digit length

Usage

```
int_digits(x, digits = 2, scale_factor = FALSE)
```

Arguments

x	number
digits	integer digit length
scale_factor	return the scale_factor instead of value

Value

number

Examples

```
int_digits(0.0332, 1)
```

is.zero	<i>if a number only have zeros</i>
---------	------------------------------------

Description

if a number only have zeros

Usage

```
is.zero(x)
```

Arguments

x	number
---	--------

Value

all zero or not

Examples

```
is.zero(c("0.000", "0.102", NA))
```

left_expand	<i>like dplyr::left_join while ignore the same columns in right tibble</i>
-------------	--

Description

like dplyr::left_join while ignore the same columns in right tibble

Usage

```
left_expand(x, y, by = NULL)
```

Arguments

x	left tibble
y	right tibble
by	columns to join by

Value

tibble

Examples

```
tb1 <- head(mini_diamond, 4)
tb2 <- tibble::tibble(
  id = c("id-2", "id-4", "id-5"),
  carat = 1:3,
  price = c(1000, 2000, 3000),
  newcol = c("new2", "new4", "new5")
)

left_expand(tb1, tb2, by = "id")

full_expand(tb1, tb2, by = "id")

inner_expand(tb1, tb2, by = "id")
```

list2df

*trans list into data.frame***Description**

trans list into data.frame

Usage

```
list2df(x, rownames = TRUE, colnames = NULL, method = "row")
```

Arguments

x	list
rownames	use rownames or not
colnames	colnames of the output
method	one of row, col, set each item as row or col, default as row

Value

tibble

Examples

```
x <- list(
  c("a", "1"),
  c("b", "2"),
  c("c", "3")
)

list2df(x, colnames = c("char", "num"))

x <- list(
```

```

  c("a", "b", "c"),
  c("1", "2", "3")
)

list2df(x, method = "col")

```

max_depth	<i>max depth of a list</i>
-----------	----------------------------

Description

max depth of a list

Usage

```
max_depth(x)
```

Arguments

x	list
---	------

Value

number

Examples

```
max_depth(list(a = list(b = list(c = 1), d = 2, e = 3)))
```

melt_vector	<i>melt a vector into single value</i>
-------------	--

Description

melt a vector into single value

Usage

```
melt_vector(x, method = "first", invalid = NA)
```

Arguments

x	vector
method	how to melt, should be one of first last, or one of sum mean median for numeric vector, or some characters (e.g. , . ;) for character vector
invalid	invalid value to ignore, NA as default

Value

melted single value

Examples

```
melt_vector(c(NA, 2, 3), method = "first")  
melt_vector(c(NA, 2, 3), method = "sum")  
melt_vector(c(NA, 2, 3), method = ",")  
melt_vector(c(NA, 2, Inf), invalid = c(NA, Inf))
```

mini_diamond	<i>Minimal tibble dataset adjusted from diamond</i>
--------------	---

Description

Minimal tibble dataset adjusted from diamond

Usage

```
mini_diamond
```

Format

```
mini_diamond:  
A data frame with 100 rows and 7 columns:  
id unique id  
cut, clarity 2 category variables  
carat, price, x, y 4 continuous variables ...
```

Source

adjusted from ggplot2

mm_norm	<i>max-min normalization</i>
---------	------------------------------

Description

max-min normalization

Usage

```
mm_norm(x, low = 0, high = 1)
```

Arguments

x	numeric vector
low	low limit of result, 0 as default
high	high limit of result, 1 as default

Value

normed vector

Examples

```
mm_norm(c(1, 3, 4))
```

move_row	<i>move selected rows to target location</i>
----------	--

Description

move selected rows to target location

Usage

```
move_row(df, rows, .after = FALSE, .before = FALSE)
```

Arguments

df	tibble
rows	selected rows indexes
.after	TRUE will move selected rows to the last row, or you can pass a target row index
.before	TRUE will move selected rows to the first row, or you can pass a target row index

Value

reordered tibble

Examples

```
move_row(mini_diamond, 3:5, .after = 8)
```

nearest_tick	<i>the nearest ticks around a number</i>
--------------	--

Description

the nearest ticks around a number

Usage

```
nearest_tick(x, side = "both", level = NULL, div = 2)
```

Arguments

x	number
side	default as 'both', can be 'both left right'
level	the level of ticks, such as 1, 10, 100, etc.
div	number of divisions

Value

nearest tick number

Examples

```
nearest_tick(3462, level = 10)
```

near_ticks	<i>the ticks near a number</i>
------------	--------------------------------

Description

the ticks near a number

Usage

```
near_ticks(x, level = NULL, div = 2)
```

Arguments

x	number
level	the level of ticks, such as 1, 10, 100, etc.
div	number of divisions

Value

number vector of ticks

Examples

```
near_ticks(3462, level = 10)
```

not.na	<i>not NA</i>
--------	---------------

Description

not NA

Usage

```
not.na(x)
```

Arguments

x	value
---	-------

Value

logical value

Examples

```
not.na(NA)
```

not.null	<i>not NULL</i>
----------	-----------------

Description

not NULL

Usage

```
not.null(x)
```

Arguments

x	value
---	-------

Value

logical value

Examples

```
not.null(NULL)
```

number_fun_wrapper	<i>wrapper of the functions to process number string with prefix and suffix</i>
--------------------	---

Description

wrapper of the functions to process number string with prefix and suffix

Usage

```
number_fun_wrapper(  
  x,  
  fun = ~.x,  
  prefix_ext = NULL,  
  suffix_ext = NULL,  
  verbose = FALSE  
)
```

Arguments

x	number string vector with prefix and suffix
fun	process function
prefix_ext	prefix extension
suffix_ext	suffix extension
verbose	print more details

Value

processed number with prefix and suffix

Examples

```
number_fun_wrapper(">=2.134%", function(x) round(x, 2))
```

ordered_slice	<i>slice a tibble by an ordered vector</i>
---------------	--

Description

slice a tibble by an ordered vector

Usage

```
ordered_slice(df, by, ordered_vector, na.rm = FALSE, dup.rm = FALSE)
```

Arguments

df	tibble
by	slice by this column, this value must has no duplicated value
ordered_vector	ordered vector
na.rm	remove NA or unknown values from ordered vector
dup.rm	remove duplication values from ordered vector

Value

sliced tibble

Examples

```
ordered_slice(mini_diamond, id, c("id-3", "id-2"))
```

percent_to_float *from percent number to float number*

Description

from percent number to float number

Usage

```
percent_to_float(x, digits = 2, to_double = FALSE)
```

Arguments

x	percent number character
digits	hold n digits after the decimal point
to_double	use double output

Value

float character or double of x

Examples

```
percent_to_float("12%")
```

pileup_logical *pileup another logical vector on the TRUE values of first vector*

Description

pileup another logical vector on the TRUE values of first vector

Usage

```
pileup_logical(x, v)
```

Arguments

x	logical vector
v	another logical vector

Value

logical vector

Examples

```
# first vector have 2 TRUE value
v1 <- c(TRUE, FALSE, TRUE)

# the length of second vector should also be 2
v2 <- c(FALSE, TRUE)

pileup_logical(v1, v2)
```

pkginfo	<i>information of packages</i>
---------	--------------------------------

Description

information of packages

Usage

```
pkginfo(...)
```

Arguments

... case-insensitive package names

Examples

```
baizer::pkginfo(dplyr)
```

pkglib	<i>load packages as a batch</i>
--------	---------------------------------

Description

load packages as a batch

Usage

```
pkglib(...)
```

Arguments

... pkgs

Examples

```
baizer::pkglib(dplyr, purrr)
```

pkgver	<i>versions of packages</i>
--------	-----------------------------

Description

versions of packages

Usage

```
pkgver(...)
```

Arguments

... case-insensitive package names

Examples

```
baizer::pkgver(dplyr, purrr)
```

pos_int_split	<i>split a positive integer number as a number vector</i>
---------------	---

Description

split a positive integer number as a number vector

Usage

```
pos_int_split(x, n, method = "average")
```

Arguments

x positive integer
n length of the output
method should be one of average, random, or a number vector which length is n

Value

number vector

Examples

```
pos_int_split(12, 3, method = "average")
```

```
pos_int_split(12, 3, method = "random")
```

```
pos_int_split(12, 3, method = c(1, 2, 3))
```

r2c	<i>wrapper of tibble::rownames_to_column</i>
-----	--

Description

wrapper of tibble::rownames_to_column

Usage

```
r2c(df, col = "")
```

Arguments

df	tibble
col	a col name

Value

tibble

Examples

```
mini_diamond %>%
  c2r("id") %>%
  r2c("id")
```

read_excel	<i>read excel file</i>
------------	------------------------

Description

read excel file

Usage

```
read_excel(...)
```

Arguments

...	arguments of readxl::read_excel
-----	---------------------------------

Value

tibble

read_excel_list	<i>read multi-sheet excel file as a list of tibbles</i>
-----------------	---

Description

read multi-sheet excel file as a list of tibbles

Usage

```
read_excel_list(x)
```

Arguments

x path

Value

list

read_fmmd	<i>read front matter markdown</i>
-----------	-----------------------------------

Description

read front matter markdown

Usage

```
read_fmmd(x, rm_blank_line = TRUE)
```

Arguments

x path
rm_blank_line remove leading and trailing blank lines

Value

list

ref_level	<i>relevel a target column by another reference column</i>
-----------	--

Description

relevel a target column by another reference column

Usage

```
ref_level(x, col, ref)
```

Arguments

x	tibble
col	target column
ref	reference column

Value

tibble

Examples

```
cut_level <- mini_diamond %>%  
  dplyr::pull(cut) %>%  
  unique()  
  
mini_diamond %>%  
  dplyr::mutate(cut = factor(cut, cut_level)) %>%  
  dplyr::mutate(cut0 = stringr::str_c(cut, "xxx")) %>%  
  ref_level(cut0, cut)
```

reg_join	<i>join the matched parts into string</i>
----------	---

Description

join the matched parts into string

Usage

```
reg_join(x, pattern, sep = "")
```

Arguments

x	character
pattern	regex pattern
sep	separator

Value

character

Examples

```
reg_join(c("A_12.B", "C_3.23:2"), "[A-Za-z]+")
reg_join(c("A_12.B", "C_3.23:2"), "\\w+")
reg_join(c("A_12.B", "C_3.23:2"), "\\d+", sep = ",")
reg_join(c("A_12.B", "C_3.23:2"), "\\d", sep = ",")
```

reg_match	<i>regex match</i>
-----------	--------------------

Description

regex match

Usage

```
reg_match(x, pattern, group = 1)
```

Arguments

x	vector
pattern	regex pattern
group	regex group, 1 as default. when group=-1, return full matched tibble

Value

vector or tibble

Examples

```
v <- stringr::str_c("id", 1:3, c("A", "B", "C"))
reg_match(v, "id(\\d+)(\\w)")
reg_match(v, "id(\\d+)(\\w)", group = 2)
reg_match(v, "id(\\d+)(\\w)", group = -1)
```

remove_monocol	<i>remove columns by the ratio of an identical single value (NA supported)</i>
----------------	--

Description

remove columns by the ratio of an identical single value (NA supported)

Usage

```
remove_monocol(df, max_ratio = 1)
```

Arguments

df	tibble
max_ratio	the max single value ratio to keep this column, default is 1

Value

tibble

Examples

```
# remove_monocol(df)
```

remove_nacol	<i>remove columns by the ratio of NA</i>
--------------	--

Description

remove columns by the ratio of NA

Usage

```
remove_nacol(df, max_ratio = 1)
```


Arguments

df	tibble
max_ratio	the max NA ratio to keep this column, default is 1 have NA

Value

tibble

Examples

```
# remove_nacol(df)
```

remove_narrow	<i>remove rows by the ratio of NA</i>
---------------	---------------------------------------

Description

remove rows by the ratio of NA

Usage

```
remove_narrow(df, ..., max_ratio = 1)
```

Arguments

df	tibble
...	only remove rows according to these columns, refer to <code>dplyr::select()</code>
max_ratio	the max NA ratio to keep this row, default is 1 have NA

Value

tibble

Examples

```
# remove_narrow(df)
```

remove_outliers	<i>remove outliers and NA</i>
-----------------	-------------------------------

Description

remove outliers and NA

Usage

```
remove_outliers(df, col, .by = NULL)
```

Arguments

df	tibble
col	columns to remove outliers
.by	group by

Value

tibble

Examples

```
remove_outliers(mini_diamond, price)
```

replace_item	<i>replace the items of one object by another</i>
--------------	---

Description

replace the items of one object by another

Usage

```
replace_item(x, y, keep_extra = FALSE)
```

Arguments

x	number, character or list
y	another object, the class of y should be same as x
keep_extra	whether keep extra items in y

Value

replaced object

Examples

```
x <- list(A = 1, B = 3)
y <- list(A = 9, C = 10)

replace_item(x, y)

replace_item(x, y, keep_extra = TRUE)
```

rewrite_na	<i>rewrite the NA values in a tibble by another tibble</i>
------------	--

Description

rewrite the NA values in a tibble by another tibble

Usage

```
rewrite_na(x, y, by)
```

Arguments

x	raw tibble
y	replace reference tibble
by	columns to align the tibbles

Value

tibble

Examples

```
tb1 <- tibble::tibble(
  id = c("id-1", "id-2", "id-3", "id-4"),
  group = c("a", "b", "a", "b"),
  price = c(0, -200, 3000, NA),
  type = c("large", "none", "small", "none")
)

tb2 <- tibble::tibble(
  id = c("id-1", "id-2", "id-3", "id-4"),
  group = c("a", "b", "a", "b"),
  price = c(1, 2, 3, 4),
  type = c("l", "x", "x", "m")
)

rewrite_na(tb1, tb2, by = c("id", "group"))
```

rng2seq *trans range character into seq characters*

Description

trans range character into seq characters

Usage

```
rng2seq(x, sep = "-")
```

Arguments

x	range character
sep	range separator

Value

seq characters

Examples

```
rng2seq(c("1-5", "2"))
```

round_string *from float number to fixed digits character*

Description

from float number to fixed digits character

Usage

```
round_string(x, digits = 2)
```

Arguments

x	number
digits	hold n digits after the decimal point

Value

character

Examples

```
round_string(1.1, 2)
```

roxygen_fmt	<i>add #' into each line of codes for roxygen examples</i>
-------------	--

Description

add #' into each line of codes for roxygen examples

Usage

```
roxygen_fmt(x)
```

Arguments

x	codes
---	-------

Examples

```
roxygen_fmt(  
  "  
  code line1  
  code line2  
  "  
)
```

same_index	<i>the index of identical character</i>
------------	---

Description

the index of identical character

Usage

```
same_index(s1, s2, nth = NULL, ignore_case = FALSE)
```

Arguments

s1	string1
s2	string2
nth	just return nth index
ignore_case	ignore upper or lower cases

Value

list of identical character indices

Examples

```
same_index("AAAA", "ABBA")
```

seriate_df	<i>dataframe rows seriation, which will reorder the rows in a better pattern</i>
------------	--

Description

dataframe rows seriation, which will reorder the rows in a better pattern

Usage

```
seriate_df(x)
```

Arguments

x dataframe

Value

seriated dataframe

Examples

```
x <- mini_diamond %>%
  dplyr::select(id, dplyr::where(is.numeric)) %>%
  dplyr::mutate(
    dplyr::across(
      dplyr::where(is.numeric),
      ~ round(.x / max(.x), 4)
    )
  ) %>%
  c2r("id")

seriate_df(x)
```

sftp_connect	<i>connection parameters to remote server via sftp</i>
--------------	--

Description

connection parameters to remote server via sftp

Usage

```
sftp_connect(  
  server = "localhost",  
  port = 22,  
  user = NULL,  
  password = NULL,  
  wd = "~"  
)
```

Arguments

server	remote server
port	SSH port, 22 as default
user	username
password	password
wd	workdir

Value

sftp_connection object

Examples

```
# sftp_con <- sftp_connect(server='remote_host', port=22,  
#   user='username', password = "password", wd='~')
```

sftp_download	<i>download file from remote server via sftp</i>
---------------	--

Description

download file from remote server via sftp

Usage

```
sftp_download(sftp_con, path = NULL, to = basename(path))
```

Arguments

sftp_con	sftp_connection created by sftp_connect()
path	remote file path
to	local target path

Examples

```
# sftp_download(sftp_con,  
# path=c('t1.txt', 't2.txt'),  
# to=c('path1.txt', 'path2.txt')
```

sftp_ls	<i>list files from remote server via sftp</i>
---------	---

Description

list files from remote server via sftp

Usage

```
sftp_ls(sftp_con, path = NULL, all = FALSE)
```

Arguments

sftp_con	sftp_connection created by sftp_connect()
path	remote directory path
all	list hidden files or not

Value

files in the dir

Examples

```
# sftp_ls(sftp_con, 'your/dir')
```

signif_ceiling	<i>signif while use ceiling</i>
----------------	---------------------------------

Description

signif while use ceiling

Usage

```
signif_ceiling(x, digits = 2)
```

Arguments

x	number
digits	digits

Value

number

Examples

```
signif_ceiling(3.11, 2)
```

signif_floor	<i>signif while use floor</i>
--------------	-------------------------------

Description

signif while use floor

Usage

```
signif_floor(x, digits = 2)
```

Arguments

x	number
digits	digits

Value

number

Examples

```
signif_floor(3.19, 2)
```

signif_round_string *signif or round string depend on the character length*

Description

signif or round string depend on the character length

Usage

```
signif_round_string(  
    x,  
    digits = 2,  
    format = "short",  
    full_large = TRUE,  
    full_small = FALSE  
)
```

Arguments

x	number
digits	signif or round digits
format	short or long
full_large	keep full digits for large number
full_small	keep full digits for small number

Value

signif or round strings

Examples

```
signif_round_string(1.214, 2)
```

signif_string *from float number to fixed significant digits character*

Description

from float number to fixed significant digits character

Usage

```
signif_string(x, digits = 2)
```

Arguments

x number
 digits hold n significant digits

Value

character

Examples

```
signif_string(1.1, 2)
```

slice_char	<i>slice character vector</i>
------------	-------------------------------

Description

slice character vector

Usage

```
slice_char(x, from = x[1], to = x[length(x)], unique = FALSE)
```

Arguments

x character vector
 from from
 to to
 unique remove the duplicated boundary characters

Value

sliced vector

Examples

```
x <- c("A", "B", "C", "D", "E")
slice_char(x, "A", "D")
slice_char(x, "D", "A")

x <- c("A", "B", "C", "C", "A", "D", "D", "E", "A")
slice_char(x, "B", "E")
# duplicated element as boundary will throw an error
# slice_char(x, 'A', 'E')
# unique=TRUE to remove the duplicated boundary characters
slice_char(x, "A", "E", unique = TRUE)
```

sortf	<i>sort by a function</i>
-------	---------------------------

Description

sort by a function

Usage

```
sortf(x, func, group_pattern = NULL)
```

Arguments

x	vector
func	a function used by the sort
group_pattern	a regex pattern to group by, only available if x is a character vector

Value

vector

Examples

```
sortf(c(-2, 1, 3), abs)

v <- stringr::str_c("id", c(1, 2, 9, 10, 11, 12, 99, 101, 102)) %>% sample()

sortf(v, function(x) reg_match(x, "\\d+") %>% as.double())

sortf(v, ~ reg_match(., "\\d+") %>% as.double())

v <- c(
  stringr::str_c("A", c(1, 2, 9, 10, 11, 12, 99, 101, 102)),
  stringr::str_c("B", c(1, 2, 9, 10, 21, 32, 99, 101, 102))
) %>% sample()

sortf(v, ~ reg_match(., "\\d+") %>% as.double(), group_pattern = "\\w")
```

split_column	<i>split a column and return a longer tibble</i>
--------------	--

Description

split a column and return a longer tibble

Usage

```
split_column(df, name_col, value_col, sep = ",")
```

Arguments

df	tibble
name_col	repeat this as name column
value_col	expand by this value column
sep	separator in the string

Value

expanded tibble

Examples

```
fancy_count(mini_diamond, cut, ext = clarity) %>%  
  split_column(name_col = cut, value_col = clarity)
```

split_path	<i>split a path into ancestor paths recursively</i>
------------	---

Description

split a path into ancestor paths recursively

Usage

```
split_path(path)
```

Arguments

path	path to split
------	---------------

Value

character vectors of ancestor paths

Examples

```
split_path("/home/someone/a/test/path.txt")
```

split_vector	<i>split vector into list</i>
--------------	-------------------------------

Description

split vector into list

Usage

```
split_vector(vector, breaks, bounds = "[ ]")
```

Arguments

vector	vector
breaks	split breaks
bounds	"[]" as default, can also be "[]", "[]"

Value

list

Examples

```
split_vector(1:10, c(3, 7))
split_vector(stringr::str_split("ABCDEFGHIJ", "") %>% unlist(),
  c(3, 7),
  bounds = "[ ]"
)
```

stat_fc	<i>fold change calculation which returns a extensible tibble</i>
---------	--

Description

fold change calculation which returns a extensible tibble

Usage

```
stat_fc(
  df,
  y,
  x,
  method = "mean",
  .by = NULL,
  rev_div = FALSE,
  digits = 2,
  fc_fmt = "short",
  suffix = "x"
)
```

Arguments

df	tibble
y	value
x	sample test group
method	'mean' 'median' 'geom_mean', the summary method
.by	super-group
rev_div	reverse division
digits	fold change digits
fc_fmt	fold change format, one of short, signif, round
suffix	suffix of fold change, x as default

Value

fold change result tibble

Examples

```
stat_fc(mini_diamond, y = price, x = cut, .by = clarity)
```

stat_phi

calculate phi coefficient of two binary variables

Description

calculate phi coefficient of two binary variables

Usage

```
stat_phi(x)
```

Arguments

x 2x2 matrix or dataframe

Value

phi coefficient

Examples

```
data <- matrix(c(10, 8, 14, 18), nrow = 2)
stat_phi(data)
```

<code>stat_test</code>	<i>statistical test which returns a extensible tibble</i>
------------------------	---

Description

statistical test which returns a extensible tibble

Usage

```
stat_test(
  df,
  y,
  x,
  .by = NULL,
  trans = "identity",
  paired = FALSE,
  paired_by = NULL,
  alternative = "two.sided",
  exclude_func = NULL,
  method = "wilcoxon",
  ns_symbol = "NS",
  digits = 2
)
```

Arguments

<code>df</code>	tibble
<code>y</code>	value
<code>x</code>	sample test group
<code>.by</code>	super-group
<code>trans</code>	scale transformation
<code>paired</code>	paired samples or not
<code>paired_by</code>	a column for pair

alternative	one of "two.sided" (default), "greater" or "less"
exclude_func	a function has two arguments and return bool value, used if paired=TRUE and will keep the comparison pairs which return TRUE by this function.
method	test method, 'wilcoxon' as default, one of t wilcoxon
ns_symbol	symbol of nonsignificant, 'NS' as default
digits	significant figure digits of p value If the data pair of a single test returns TRUE, then exclude this pair

Value

test result tibble

Examples

```
stat_test(mini_diamond, y = price, x = cut, .by = clarity)
```

str_replace_loc	<i>replace specific characters in a string by their locations</i>
-----------------	---

Description

replace specific characters in a string by their locations

Usage

```
str_replace_loc(x, start = 1, end = nchar(x), replacement = " ")
```

Arguments

x	string
start	start
end	end
replacement	replacement

Value

replaced string

Examples

```
str_replace_loc("abcde", 1, 3, "A")
```

swap_vecname	<i>swap the names and values of a vector</i>
--------------	--

Description

swap the names and values of a vector

Usage

```
swap_vecname(x)
```

Arguments

x vector without duplicated values

Value

swapped vector

Examples

```
v <- c("a" = "A", "b" = "B", "c" = "C")
swap_vecname(v)
```

tbflt	<i>create a tbflt object to save filter conditions</i>
-------	--

Description

tbflt() can save a series of filter conditions, and support logical operating among conditions

Usage

```
tbflt(x = expression(), .env = NULL)
```

Arguments

x any expression
.env environment

Value

tbflt

Examples

```
c1 <- tbflt(cut == "Fair")  
  
c2 <- tbflt(x > 8)  
  
!c1  
  
c1 | c2  
  
c1 & c2
```

tdf	<i>transpose a dataframe</i>
-----	------------------------------

Description

transpose a dataframe

Usage

```
tdf(x, colnames = NULL)
```

Arguments

x	dataframe
colnames	column names of the transposed dataframe

Value

dataframe

Examples

```
x <- c2r(mini_diamond, "id")  
tdf(x)
```

top_item	<i>return top n items with highest frequency</i>
----------	--

Description

return top n items with highest frequency

Usage

```
top_item(x, n = 1)
```

Arguments

x	character
n	top n

Value

character

Examples

```
top_item(c("a", "b", "c", "b"))
```

uniq	<i>only keep unique vector values and its names</i>
------	---

Description

only keep unique vector values and its names

Usage

```
uniq(x)
```

Arguments

x	vector
---	--------

Value

vector

Examples

```
x <- c(a = 1, b = 2, c = 3, b = 2, a = 1)

uniq(x)
```

uniq_in_cols	<i>count unique values in each column</i>
--------------	---

Description

count unique values in each column

Usage

```
uniq_in_cols(x)
```

Arguments

x tibble

Value

tibble

Examples

```
uniq_in_cols(mini_diamond)
```

write_excel	<i>write a tibble into an excel file</i>
-------------	--

Description

write a tibble into an excel file

Usage

```
write_excel(df, filename, sheetname = NULL, creator = "")
```

Arguments

df tibble or a list of tibbles
filename the output filename
sheetname the names of sheets. If not given, will use 'sheet1', or the names of list
creator creator

Value

return status

Examples

```
# write_excel(mini_diamond, "mini_diamond.xlsx")
```

%eq% *equal calculation operator; support NA*

Description

equal calculation operator, support NA

Usage

```
x %eq% y
```

Arguments

x	value x
y	value y

Value

logical value, TRUE if x and y are not equal

Examples

```
NA %eq% NA
```

%neq% *not equal calculation operator; support NA*

Description

not equal calculation operator, support NA

Usage

```
x %neq% y
```

Arguments

x	value x
y	value y

Value

logical value, TRUE if x and y are not equal

Examples

```
1 %neq% NA
```

`%nin%` *not in calculation operator*

Description

not in calculation operator

Usage

```
left %nin% right
```

Arguments

left	left element
right	right element

Value

logical value, TRUE if left is not in right

Examples

```
0 %nin% 1:4
```

Index

- * **datasets**
 - mini_diamond, 35
- `%eq%`, 70
- `%neq%`, 70
- `%nin%`, 71

- adjacent_div, 4
- alias_arg, 5
- as_md_table, 5
- as_tibble_md, 6
- atomic_expr, 7

- broadcast_vector, 7

- c2r, 8
- check_arg, 9
- cmdargs, 9
- collapse_vector, 10
- combn_vector, 11
- correct_ratio, 11
- cross_count, 12

- detect_dup, 13
- diff_index, 13
- diff_tb, 14
- dx_tb, 14

- empty_dir, 15
- empty_file, 16
- exist_matrix, 17
- expr_pileup, 17
- extract_kv, 18

- fancy_count, 19
- fetch_char, 20
- filterC, 20
- fix_to_regex, 21
- float_to_percent, 22
- fps_vector, 22
- full_expand, 23

- gen_char, 24
- gen_combn, 25
- gen_outlier, 26
- gen_str, 27
- gen_tb, 28
- generate_ticks, 24
- geom_mean, 28
- group_vector, 29

- hist_bins, 30

- inner_expand, 30
- int_digits, 31
- is.zero, 32

- left_expand, 32
- list2df, 33

- max_depth, 34
- melt_vector, 34
- mini_diamond, 35
- mm_norm, 36
- move_row, 36

- near_ticks, 38
- nearest_tick, 37
- not.na, 38
- not.null, 39
- number_fun_wrapper, 39

- ordered_slice, 40

- percent_to_float, 41
- pileup_logical, 41
- pkginfo, 42
- pkglib, 42
- pkgver, 43
- pos_int_split, 43

- r2c, 44
- read_excel, 44

read_excel_list, 45
read_fmmd, 45
ref_level, 46
reg_join, 46
reg_match, 47
remove_monocol, 48
remove_nacol, 48
remove_narrow, 49
remove_outliers, 50
replace_item, 50
rewrite_na, 51
rng2seq, 52
round_string, 52
roxygen_fmt, 53

same_index, 53
seriate_df, 54
sftp_connect, 55
sftp_download, 55
sftp_ls, 56
signif_ceiling, 57
signif_floor, 57
signif_round_string, 58
signif_string, 58
slice_char, 59
sortf, 60
split_column, 61
split_path, 61
split_vector, 62
stat_fc, 62
stat_phi, 63
stat_test, 64
str_replace_loc, 65
swap_vecname, 66

tbflt, 66
tdf, 67
top_item, 68

uniq, 68
uniq_in_cols, 69

write_excel, 69