

Package ‘coronavirus’

January 10, 2021

Title The 2019 Novel Coronavirus COVID-19 (2019-nCoV) Dataset

Version 0.3.1

Maintainer Rami Krispin <rami.krispin@gmail.com>

Description Provides a daily summary of the Coronavirus (COVID-19) cases by state/province. Data source: Johns Hopkins University Center for Systems Science and Engineering (JHU CCSE) Coronavirus <<https://systems.jhu.edu/research/public-health/ncov/>>.

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Depends R (>= 3.0.2)

Suggests DT, dplyr, knitr, plotly, rmarkdown, remotes, testthat (>= 2.1.0)

Imports devtools(>= 2.2.2)

URL <https://github.com/RamiKrispin/coronavirus>

BugReports <https://github.com/RamiKrispin/coronavirus/issues>

RoxygenNote 7.1.1

VignetteBuilder knitr

NeedsCompilation no

Author Rami Krispin [aut, cre],
Jarrett Byrnes [aut] (<<https://orcid.org/0000-0002-9791-9472>>)

Repository CRAN

Date/Publication 2021-01-10 22:30:14 UTC

R topics documented:

coronavirus	2
get_info_coronavirus	3
refresh_coronavirus_jhu	3
update_dataset	4

coronavirus

The 2019 Novel Coronavirus COVID-19 (2019-nCoV) Dataset

Description

Daily summary of the Coronavirus (COVID-19) cases by state/province.

Usage

coronavirus

Format

A data frame with 7 variables.

date Date in YYYY-MM-DD format.

province Name of province/state, for countries where data is provided split across multiple provinces/states.

country Name of country/region.

lat Latitude of center of geographic region, defined as either country or, if available, province.

long Longitude of center of geographic region, defined as either country or, if available, province.

type An indicator for the type of cases (confirmed, death, recovered).

cases Number of cases on given date.

Details

The dataset contains the daily summary of Coronavirus cases (confirmed, death, and recovered), by state/province.

Source

Johns Hopkins University Center for Systems Science and Engineering (JHU CCSE) Coronavirus [website](#).

Examples

```
data(coronavirus)

require(dplyr)

# Get top confirmed cases by state
coronavirus %>%
  filter(type == "confirmed") %>%
  group_by(country) %>%
  summarise(total = sum(cases)) %>%
  arrange(-total) %>%
  head(20)
```

```
# Get the number of recovered cases in China by province
coronavirus %>%
  filter(type == "recovered", country == "China") %>%
  group_by(province) %>%
  summarise(total = sum(cases)) %>%
  arrange(-total)
```

get_info_coronavirus *Get information about the datasets provided by the coronavirus package*

Description

Returns information about the datasets in this package for covid19R harvesting

Usage

```
get_info_coronavirus()
```

Value

a tibble of information about the datasets in this package

Examples

```
## Not run:

# get the dataset info from this package
get_info_coronavirus()

## End(Not run)
```

refresh_coronavirus_jhu
*Refresh the 2019 Novel Coronavirus COVID-19 (2019-nCoV) Dataset
in the Covid19R Project Format*

Description

Daily summary of the Coronavirus (COVID-19) cases by state/province.

Usage

```
refresh_coronavirus_jhu()
```

Value

A tibble object * date - The date in YYYY-MM-DD form * location - The name of the location as provided by the data source. * location_type - The type of location using the covid19R controlled vocabulary. * location_code - A standardized location code using a national or international standard. Drawn from [iso-3166-2.js](#)'s version * location_code_type The type of standardized location code being used according to the covid19R controlled vocabulary. Here we use 'iso_3166_2' * data_type - the type of data in that given row using the covid19R controlled vocabulary. Includes cases_new, deaths_new, recovered_new. * value - number of cases of each data type

A data.frame object

Source

coronavirus - Johns Hopkins University Center for Systems Science and Engineering (JHU CCSE) Coronavirus [website](#)

Examples

```
## Not run:  
# update the data  
jhu_covid19_dat <- refresh_coronavirus_jhu()  
  
## End(Not run)
```

update_dataset	<i>Update the coronavirus Dataset</i>
----------------	---------------------------------------

Description

Update the package datasets on the global environment with the most recent data on the Dev version

Usage

```
update_dataset(silence = FALSE)
```

Arguments

silence A boolean, if set to TRUE, will automatically install updates without prompt question, by default set to FALSE

Details

As the CRAN version is being updated every one-two months, the dev version of the package is being updated on a daily bases. This function enables to refresh the package dataset to the most up-to-date data. Changes will be available on the global environment

Value

A data.frame object

Source

coronavirus - Johns Hopkins University Center for Systems Science and Engineering (JHU CCSE)
Coronavirus [website](#)

Examples

```
## Not run:  
  
# update with a question prompt  
update_dataset(silence = FALSE)  
  
# update without a question prompt  
update_dataset(silence = TRUE)  
  
## End(Not run)
```

Index

- * **COVID19**

- coronavirus, [2](#)

- * **coronavirus**

- coronavirus, [2](#)

- * **datasets**

- coronavirus, [2](#)

coronavirus, [2](#)

get_info_coronavirus, [3](#)

refresh_coronavirus_jhu, [3](#)

update_dataset, [4](#)