

Package ‘ineAtlas’

November 8, 2024

Title Access to Spanish Household Income Distribution Atlas Data

Version 0.1.2

Description Provides access to granular socioeconomic indicators from the Spanish Statistical Office (INE) Household Income Distribution Atlas. The package downloads and processes data from a companion 'GitHub' repository (<<https://github.com/pablogguz/ineAtlas.data/>>) which contains processed versions of the official INE Atlas data. Functions are provided to fetch data at multiple geographic levels (municipalities, districts, and census tracts), including income indicators, demographic characteristics, and inequality metrics. The data repository is updated every year when new releases are published by INE.

License MIT + file LICENSE

URL <https://github.com/pablogguz/ineAtlas>,
<https://pablogguz.github.io/ineAtlas/>

BugReports <https://github.com/pablogguz/ineAtlas/issues>

Imports dplyr, httr, readr, sf, stringr, utils, zip

Suggests data.table, extrafont, ggplot2, ggtext, knitr, mapSpain,
mockery, rmarkdown, spelling, testthat (>= 3.0.0), tidyr

VignetteBuilder knitr

Config/testthat/edition 3

Encoding UTF-8

RoxygenNote 7.3.1

Language en-US

NeedsCompilation no

Author Pablo García Guzmán [aut, cre, cph]

Maintainer Pablo García Guzmán <garciagp@ebrd.com>

Repository CRAN

Date/Publication 2024-11-08 15:00:17 UTC

Contents

get_atlas	2
get_tract_geom	3

Index	4
--------------	----------

get_atlas	<i>Fetch data from the ineAtlas data repository</i>
-----------	---

Description

Downloads and extracts compressed data files from the ineAtlas data repository, providing access to various socioeconomic indicators at different geographic levels.

Usage

```
get_atlas(category, level, cache = TRUE, cache_dir = tempdir())
```

Arguments

category	Character string specifying the data category. Must be one of: "income", "income_sources", "demographics", "distribution_sex", "distribution_sex_age", or "distribution_sex_nationality"
level	Character string specifying the geographic level. Must be one of: "municipality", "district", or "tract"
cache	Logical indicating whether to cache the extracted data. Default is TRUE. Cached data is stored uncompressed for faster access.
cache_dir	Character string specifying the cache directory. Default is tempdir().

Value

A tibble containing the requested data. Distribution data will include additional columns for demographic breakdowns (sex, age, nationality). The data is automatically extracted from compressed files and cached locally if requested.

Note

Data files are stored compressed on the repository to reduce size and download times. The function handles decompression automatically.

Examples

```
# Get municipality level income data
income_data <- get_atlas("income", "municipality")

# Get district level demographics without caching
demo_data <- get_atlas("demographics", "district", cache = FALSE)
```

```
# Get income distribution indicators by sex
sex_dist <- get_atlas("distribution_sex", "municipality")

# Get income distribution indicators by sex and age
age_dist <- get_atlas("distribution_sex_age", "district")
```

get_tract_geom *Get census tract boundary geometries*

Description

Downloads and extracts census tract boundary files from the ineAtlas repository, returning an sf object with the geometries for the specified year.

Usage

```
get_tract_geom(year, cache = TRUE, cache_dir = tempdir())
```

Arguments

year	Numeric. Year of the census tract boundaries to retrieve (2015-2022)
cache	Logical indicating whether to cache the extracted data. Default is TRUE. Cached data is stored uncompressed for faster access.
cache_dir	Character string specifying the cache directory. Default is tempdir().

Value

An sf object containing census tract boundaries with the following columns:

- year: The reference year
- tract_code: Census tract identifier
- municipality: Municipality name
- province: Province name
- geometry: Census tract boundary geometry

Examples

```
# Get census tract boundaries for 2020
tracts_2020 <- get_tract_geom(2020)

# Get boundaries without caching
tracts_2019 <- get_tract_geom(2019, cache = FALSE)
```

Index

`get_atlas`, 2
`get_tract_geom`, 3