

# Package ‘pacviz’

March 12, 2023

**Title** Pac-Man Visualization Package

**Version** 1.0.3

**Description** Provides a broad-view perspective on data via linear mapping of data onto a radial coordinate system. The package contains functions to visualize the residual values of linear regression and Cartesian data in the defined radial scheme. See the ‘pacviz’ documentation page for more information: [<https://pacviz.sriley.dev/>](https://pacviz.sriley.dev/).

**License** MIT + file LICENSE

**Depends** R (>= 4.0.0)

**Imports** circlize, e1071, graphics, plotrix, stats, utils

**Suggests** knitr, markdown

**VignetteBuilder** knitr

**Encoding** UTF-8

**RoxygenNote** 7.2.3

**NeedsCompilation** no

**Author** Spencer Riley [aut, cre]

**Maintainer** Spencer Riley <academic@sriley.dev>

**Repository** CRAN

**Date/Publication** 2023-03-12 20:10:02 UTC

## R topics documented:

deg2rad . . . . .	2
linMap . . . . .	2
pac.partition . . . . .	3
pac.plot . . . . .	3
pac.resid . . . . .	4
rad2deg . . . . .	5
unit_format . . . . .	5

<b>Index</b>	<b>6</b>
--------------	----------

---

deg2rad	<i>Degree angle conversion</i>
---------	--------------------------------

---

**Description**

Conversion between degrees and radians

**Usage**

```
deg2rad(deg)
```

**Arguments**

deg	Angle in degrees
-----	------------------

**Value**

Angle in radians

---

linMap	<i>Linear map</i>
--------	-------------------

---

**Description**

A function that will map a range of values to a different set of values.

**Usage**

```
linMap(x, i, f)
```

**Arguments**

x	Range of values to be mapped
i	Lowest value
f	Largest value

**Value**

A set of values spanning from i to f

---

pac.partition                      *Machine learning data partition*

---

**Description**

A method of partitioning data between training and testing sets based on the fraction of data used for training

**Usage**

```
pac.partition(x, y, l, train_size = 0.7, rand_state = sample(1:2^15, 1))
```

**Arguments**

x, y	Numeric data
l	Numeric labels data
train_size	Fraction of total data that the SVM will train on
rand_state	Value of the random state used to set the seed

**Value**

Two data frames and a list of indices for the training set

---

pac.plot                              *Pac-Man plotting function*

---

**Description**

A method of plotting traditional Cartesian data, based on a restricted radial coordinate system, while preserving the information.

**Usage**

```
pac.plot(x, y, title, taxis, raxis, color1 = "gold")
```

**Arguments**

x, y	Numeric data
title	Figure title
taxis, raxis	Vector with the first entry being the axis label and the second entry being units
color1	Color value as string or rgb

**Value**

Pac-Man SVM

**Examples**

```
# Generic Pac-Man plot
data("cars")
pac.plot(cars$dist,cars$speed, 'Example 1', c("Distance", "m"), c("Speed", "m/s"))
```

---

pac.resid

*Pac-Man Residual Function*

---

**Description**

A visualization technique in R for regression analysis results, specifically residual values, based on a restricted radial coordinate system. It provides a broad view perspective on the performance of regression models, and supports most model inputs.

**Usage**

```
pac.resid(
  x,
  y,
  title,
  taxis,
  model = lm(y ~ x, data = data.frame(x, y)),
  color1 = "gold",
  standardize = FALSE
)
```

**Arguments**

x, y	Numeric data
title	Figure title
taxis	Vector with the first entry being the axis label and the second entry being units
model	An object for which the extraction of model residuals is meaningful.
color1	Color value as string or rgb
standardize	Boolean to standardize the residual value

**Value**

Pac-Man residual plot

**Examples**

```
data("cars")
x <- cars$dist
y <- cars$speed
pac.resid(x,y, 'Example 2',
          c("Temperature", 'degC'),
          color1="lightblue",
          standardize=TRUE)
```

---

rad2deg	<i>Radian angle conversion</i>
---------	--------------------------------

---

**Description**

Conversion between radians and degrees

**Usage**

```
rad2deg(rad)
```

**Arguments**

rad	Angle in radians
-----	------------------

**Value**

Angle in degrees

---

unit_format	<i>Unit formatting</i>
-------------	------------------------

---

**Description**

Converts unit inputs into a format that can be displayed. Support is restricted to 'degC', 'degF'.

**Usage**

```
unit_format(unit)
```

**Arguments**

unit	Unit input
------	------------

**Value**

A list of formatted units

# Index

- \* **conversion**

- deg2rad, [2](#)

- rad2deg, [5](#)

- \* **data**

- pac.partition, [3](#)

- \* **machine-learning**

- pac.partition, [3](#)

- \* **regression**

- pac.resid, [4](#)

- \* **visualization**

- pac.plot, [3](#)

- pac.resid, [4](#)

deg2rad, [2](#)

linMap, [2](#)

pac.partition, [3](#)

pac.plot, [3](#)

pac.resid, [4](#)

rad2deg, [5](#)

unit\_format, [5](#)